Product Brochure

Annitsu Metal Detector

eray C

Souwin

Stop

December 2016

/Inritsu

Metal Detector

Easy to use for anyone – Anritsu metal detectors offer a number of benefits.



Anritsu metal detectors are easy to use for anyone, which yields a range of benefits: improved inspection reliability, cost efficiency, and company credibility. These benefits contribute to the growth of your business and the creation of a safer, more secure society.








Reliable Inspection


Anritsu metal detectors feature high tolerance to vibration and electrical noise, minimizing false detection while maintaining product quality.


Heads are vibration and electric noise resistant COME

Metal detectors look for fluctuations within magnetic fields when product passes through the detector head. Since the magnetic fields are affected by external sources such as floor vibration and inverters from nearby machines, a metal detector must be designed to handle these challenges. With this in mind, Anritsu's detection heads were designed to provide high sensitivity without sacrificing repeatability and reliability.



The detection head is highly resistant to external effects, accurately detecting even slight fluctuations.





Optimal sensitivity achieved by HIS (High Sensitivity) Setting COME

HIS (High Sensitivity) setting automatically analyzes product and contaminant properties and sets detection limits precisely for optimal contaminant detection.

Auto-Limit and Auto-Tracking Function enhance repeatability and reliability COMIN

Auto-limit function automatically sets the best evaluation limit based on the variation of product effects. Auto-tracking function prevents false rejects by compensating for product temperature changes.

[Auto-Limit Function]



High sensitivity detection of both ferrous and non-ferrous metals


Anritsu has patented a dual-frequency system, which automatically determines best frequencies to maximize sensitivity for both ferrous and non-ferrous metals simultaneously. The contamination of stainless steel fragments dropped from a production equipment can be also detected.

Optimized parameter setting anyone can achieve

On-screen instructions eliminate confusion and simplify product setup. The system automatically selects the best settings based on: speed, product parameters (dry/wet/aluminum film), etc. Even inexperienced operators can perform optimal parameter settings.

Simple maintenance

The conveyor belt can be easily removed/attached without tools. The waterproofed models' drive-belt-free direct-drive method facilitates easy and quick cleaning. The waterproofed models also feature an automatic tension adjustment capability and a belt misalignment prevention mechanism, which require less maintenance and minimize downtime.







Tool free belt removal

Auto-tension mechanism



Reduced Cost

Intuitive touch-screen navigation prevents operator errors, improving operation efficiency as well as minimizing operator training costs.

Infitsu Metal Detector



Submenus can be hidden/shown as needed.

Easy to understand instructions ensure proper proceedings even when the shift changes during a procedure.

Smart Guide ensures correct operation checking

Metal detectors are considered a critical control point (CCP) in HACCP programs and continuous operation checking is required to meet standards. Smart Guide navigates operation check and maintenance procedures in an easy-to-understand format. When a procedure was performed incorrectly, it will not allow to proceed further, ensuring correct operation management. The time and costs for training operators can be minimized.

 Start process Preparation 	Prod 001 San	dwich	√1. Start process √2. Preparation	Prod 001 Sandwich 911111	✓1. Start process ✓2. Preparation	The ope, check finished.	
4. Production 5. Postprod. Check 6. Postprod. Proc. 7. End process	Execute an operation check before production.		4. Production 5. Postprof. Check 6. Postprof. Proc.	Feed the following samples.	4. Production 5. Postproz. Check 6. Postproz. Proc.	Failed	
				OK			
	Back	Next	7. End process	(1/3)	7. End process	Back	Execute the ope, chk. again

No operation manual is required with Product Registration Navigation

Product Registration Navigation simplifies parameter setting procedures with step-by-step illustrated instructions. You can save time and effort on reading through operation manuals or putting together training documents.

STOP 2003-01-15 Product Parameter Setting 2003-01-15 Product Dimension	Stop 2003-02-15 Product Parameter Setting 2003-02-15 Setect product carrier method	Select check method	200.3-01-13 16:00
	Select the product carrier method. Packaged Packaged	*Check method Check the product for metal contu	Check metal contamination.
*Product Length(L) 150 mm Product Width(W) 150 mm Product Height(H) 20 mm	Dala Type		X0
X tares ← last hert →	X Cancel ← Eack Next →	🗙 Grost 🗲 Back	Nest ->

Multilingual display and global service network

11 different languages are selectable on screen for interface including English, Spanish, French, German, etc. We offer service networks in over 50 countries, ensuring that service, maintenance and repairs are carried out quickly and efficiently.



Simplified product changeover (Optional)

Product menus can be automatically selected by scanning product barcodes, allowing for simplified product changeovers even in diverse production lines.





Company Credibility

Advanced quality management help you earn customer loyalty.


Electronic daily report eliminates cumbersome manual data collection process

No matter how careful you are, human errors are inevitable in manual data collection. With Anritsu metal detectors, you can view all inspection data on the screen at any time and the data can be transferred to a PC via the USB port (inspection data is stored in .CSV

format). Data and log management can be simplified, allowing for quick response to retailers' inquiries and enhancing your company's credibility.



21	and the second s	Competitivity Ma	A Manual Color	China and Para
-	A case -12 - 3			1
1 and	A # 2 # 4 # 2 #		Martin 14m Cr	1 2 - 08-0
-	1 E- 2- 4 1	13.4-	10 10 10	
	1.88	1.01780.		
100	A			1
1.				
2	Prost. No.		1	
3	Sotel Sta. Out No.			
4 5 8 7 8 5 10	Start Tana		1/25/2013 12494	
.5	End Trine		5/25/2012 12:17	
	Stats. Method		¢	-
1	Prod. Name	_	Chocolute	
1.	LM NO.	_		
2	OR	40,71%	- 34	
38.	LONG .	10.77%	1	
11	Denio .	1356		
32	Dol, Prod			
28	[OVH]	1224		
-24	[MCNG-EXHE]	_	1	
28	TIMAL		- 28	
178	Test Piece Sket(Fe)		2.0	
37	Test Piece SkeetSully		1.5	
14	Test Posse SastRun-F	bel	3.0	
20	Metal eval, level 3		54	
70	total eval. level 2		3.0	
95	and the second s			
72				
33	and			
				A CONTRACTOR
Patrix	9	28(2)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.00



Advanced operator management

11 languages are selectable on-screen for interface, maximizing operator efficiency. Access levels assigned to each operator control which tasks an operator can perform, ensuring that all operators perform only the operations allowed to them. This maintains inspection quality and enhances the credibility of e-daily reports.

Provide product inspection certification (Optional)

QUICCA (overall quality management and control system) provides certification for HACCP program. You can show your clients that your manufacturing process uses and follows stringent quality control measures and can secure clients' confidence and trust.

Note: Anritsu is not responsible for the inspection results by this documentation.


Rejection Confirmation

Contaminated products should not only be detected but also rejected properly. Rejection Confirmation Function of Anritsu rejectors continuously monitors rejection operation to ensure rejected products are fully removed from the line.

> Anritsu Infivis started manufacturing metal detectors in 1981 and its cumulative sales have reached over 50,000 units.

> Anritsu designs and develops all its products in-house to support every solution with 100% confidence. Anritsu's sales and service network keeps your production lines running at top form and efficiency. Anritsu is dedicated to meeting your strict demands for quality — both through our products and through our support.











Lineup



duw-h series Uduwin

Enhancement to the standard dual-wave technology include improved signal processing and head design for optimal sensitivity and system stability. Features include enhanced operability such as operation guidance and E-daily report.

M5 series M5 U Dual Wave

Easily navigated one-touch operation for frequently used functions. Easy guidance with illustrations for products registration and troubleshooting.

For Large Products

Anritsu's Dual Wave Technology maximizes detection of ferrous and non-ferrous metals.

The large aperture infeed is suitable for products in bulk flow or large bags and cartons.

For Aluminum Packaged Products M

Suitable for aluminum-packaged products. The lineup includes models for thin products such as retort-pouched foods and for thicker products such as packed tea leaves and confectionery.



duw-h series **M5** series Detection heads, including indicators, are available for sale.



duw-h series **M5** series Full system or detector head only options available.




Test pieces of Fe sphere, SUS304 sphere, SUS wire and non-ferrous metal sphere in varied sizes are available.

Option



Rejector



Anritsu envision : ensure

ANRITSU INFIVIS INC. http://www.detectionperfection.com

1001 Cambridge Drive Elk Grove Village, IL 60007-2453 Phone (847) 419-XRAY (9729) Fax (847) 537-8266

• Some products shown in this catalog may not be available in your country or region. Contact our sales representatives for details.

• To ensure proper operation, read the Operation Manual before using the machine.

• In addition to daily inspection, an annual maintenance check should be carried out.

© ANRITSU INFIVIS CO., LTD. 2013 ISO14001 CERTIFICATE No.JQA-EM0210 ISO 9001 CERTIFICATE No.JQA-0316

Specifications are subject to change without notice. No part of this catalog may be reproduced without our permission.